

Product name:	UNITCLEAN	Page:	1/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

1. IDENTIFICATION	
Product identifier	
Product name:	UNITCLEAN
	Cat. No. 49900040
Container size:	11
Recommended use and restri	ictions on use
Identified use(s):	Cleaning agent. Disinfectant.
Uses advised against:	No specific uses advised against are identified.
Details of the supplier of the s	safety data sheet
<u>Supplier:</u>	Struers Ltd 7275 West Credit Avenue Ontario L5N 5M9 Mississauga Canada Tel:+1 (905) 8148855
Responsible for safety data sheet authoring:	Responsible for safety data sheet authoring: DHI Any questions to the contents of this safety data sheet should be sent to: struers@struers.dk
Emergency telephone numbe	<u>r</u>
	Alberta & NWT: Poison & Drug Information Service (PADIS): 1-800-332-1414 British Columbia: Drug and Poison Information Centre (DPIC): 604-682-5050 / 1-800-567-8911 Ontario: Poison Centre: 1-800-268-9017 Québec: Poison Control Centre: 1-800-463-5060
	Infotrac: 1-800-535-5053 Struers CAN: +1 (905) 8148855 (Only during office hours)

Product name:	UNITCLEAN	Page:	2/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

2. HAZARDS IDENTIFICATION

Classification of the hazardous product

Classification of the hazard	
<u>WHMIS 2015:</u>	Acute (Oral) Toxicity — Category 4
	Skin Corrosion — Category 1B Serious Eye Damage — Category 1
	Aquatic Acute Toxicity — Category 1
	Aquatic Chronic Toxicity — Category 1
Label elements	
	Danger
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective clothing, gloves, eye and face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local regulations.
P260	Do not breathe gas, fume, vapours or spray.
P264	Wash contaminated skin thoroughly after handling.
P273	Avoid release to the environment.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
Other hazards	
Po owere that eventeene of	lung odoma (abortance) of broath) may develop up to 24 bours ofter experience

Be aware that symptoms of lung edema (shortness of breath) may develop up to 24 hours after exposure.

<u>PBT/vPvB:</u> Not Classified as PBT/vPvB by current EU criteria.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixtures</u>

Product name:	UNITCLEAN	Page:	3/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

The product contains: cationic surfactants and water.

WHMIS 2015:

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	<u>REACH Reg.</u> <u>No:</u>	Chemical name:	Hazard classification:	<u>Notes:</u>
40-60	68424-85-1	270-325-2	-	Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	Acute (Oral) Toxicity Category 4 Skin Corrosion Category 1B Aquatic Acute Toxicity Category 1 Aquatic Chronic Toxicity Category 1	

4. FIRST-AID MEASURES

Description of first-aid measures

Inhalation:	Move injured person into fresh air immediately. Call an ambulance. Be aware that symptoms of lung edema (shortness of breath) may develop up to 24 hours after exposure. Bring these instructions. Place unconscious person on the side in the recovery position and ensure breathing.		
Skin contact:	Flush immediately with plenty of water and remove contaminated clothing. Call an ambulance, continue to rinse during transportation to hospital and take along these instructions.		
Eye contact:	Immediately flush with plenty of water. Remove any contact lenses and open eyes wide apart. Call an ambulance and continue flushing during transportation to hospital taking along these instructions.		
Ingestion:	Immediately call a Poison Center/doctor. Rinse mouth. Do not induce vomiting. Do not drink anything without first consulting a doctor. Have these instructions at hand.		
Most important symptoms and effects, both acute and delayed			
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.		
Indication of any immediate medical attention and special treatment needed			

<u>Medical attention/treatments:</u> Treat symptomatically.

Product name:	UNITCLEAN	Page:	4/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

5. FIRE-FIGHTING MEASU	JRES
Extinguishing media	
Extinguishing media:	Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.
	Unsuitable extinguishing media: No specific precautions.
Specific hazards arising from	the hazardous product
Specific hazards:	During fire, health hazardous gases may be formed.
Advice for fire-fighters	
Protective equipment for fire- fighters:	Use air-supplied respirator during fire fighting.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Look out! The product is corrosive.

For non-emergency personnel:	Avoid inhalation of vapors and contact with skin and eyes. For personal protection, see section 8.
For emergency responders:	For personal protection, see section 8. No specific recommendations.
Environmental precautions	
Environmental precautions:	Do not discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.
Methods and material for cont	ainment and cleaning up
Spill Cleanup Methods:	Dam and absorb spillage with sand, sawdust or other absorbent. Sweep up and place into an appropriate container.
Reference to other items	
References:	For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling	
Safe handling advice:	Avoid inhalation of vapors and contact with skin and eyes. Immediately change drenched clothing. Observe good chemical hygiene practices.
Technical measures:	Work practice should minimize contact. Do not eat, drink or smoke when using the product.
Technical precautions:	Provide easy access to water supply and eye wash facilities. Mechanical ventilation may be required.
Conditions for safe storage, in	ncluding any incompatibilities
Technical measures for safe storage:	Keep away from food, drink and animal feeding stuffs.
Storage conditions:	Store in tightly closed original container in a dry and cool place.
Specific end-use(s)	
<u>Specific use(s):</u>	No information available.

Product name:	UNITCLEAN	Page:	5/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit assigned.

Exposure controls

Engineering measures:	An eye wash bottle must be available at the work site. Provide adequate ventilation.
Personal protection:	Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. It is recommended to use respiratory equipment with combination filter, type ABEK.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Breakthrough time: 480 min Thickness: 0,5 mm (*)
Eye protection:	Wear goggles/face shield.
Skin protection:	Wear special protective clothing.
Hygiene measures:	Wash hands after handling. When using do not eat, drink or smoke. Change contaminated clothing.
Environmental Exposure Controls:	Not available.

Product name:	UNITCLEAN	Page:	6/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties		
Form:	Liquid.	
<u>Colour:</u>	Colourless.	
<u>Odour:</u>	Aromatic.	
Odour threshold:	Not available.	
<u>pH:</u>	5 - 7 (100 g/l; 20 °C)	
Melting point:	-5 °C	
Boiling point:	100°C	
Flash point:	160 - 170 °C	
Evaporation rate:	Not available.	
Flammability (solid, gas):	Not available.	
Explosion limits:	Not available.	
Vapour pressure:	Not available.	
Vapour density:	Not available.	
Relative density:	0,98	
Solubility:	Miscible with water.	
Partition coefficient (n- octanol/water):	Not available.	
<u>Auto-ignition</u> temperature (°C):	Not available.	
Decomposition temperature (°C):	Not available.	
<u>Viscosity:</u>	Dynamic viscosity: 300 mPa.s	
Explosive properties:	Not available.	
Oxidising properties:	Not available.	
Other information		
<u>Other data:</u>	Volatile Organic Compound (VOC): 0 g/l (calculated)	

Product name:	UNITCLEAN	Page:	7/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

10. STABILITY AND REACTIVITY		
IU. STADILITT AND REACTIVITT		
<u>Reactivity</u>		
Reactivity:	No data available.	
Chemical stability		
<u>Stability:</u>	Stable under normal temperature conditions.	
Possibility of hazardous reaction	<u>ons</u>	
Hazardous Reactions:	Reaction with:	
	Oxidising materials. Acids. Bases. (*)	
Conditions to avoid		
Conditions/materials to avoid:	No information available.	
Incompatible materials		
Incompatible materials:	Acids. Alkalis. Oxidising materials.	
Hazardous decomposition products		
Hazardous decomposition	Hydrogen chloride (HCl). Nitrogen oxides (NOx).	
products:		

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity (Oral):	Harmful if swallowed. Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: LD50=344 mg/kg (oral rat) LD50=3340 mg/kg (Dermal Rabbit) (*)
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Causes severe burns.
Serious eye damage/irritation:	Causes serious eye damage.
<u>Respiratory or skin</u> sensitization:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met. National Toxicology Program (NTP): No. IARC Not Listed.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Vapors are corrosive. After 24-36 hours, injured persons may develop serious shortness of breath and lung edema.
Ingestion:	Corrosive. Even small amounts may cause serious damage.

Product name:	UNITCLEAN	Page:	8/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

12. ECOLOGICAL INFORMATION		
Ecotoxicity		
<u>Ecotoxicity:</u>	Very toxic to aquatic life with long lasting effects. Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides : LC50 96 hours, fish, mg/l (Lepomis machrochirus): 0,28 EC50 48 hours, Daphnia, mg/l: 0.016	
Persistence and degradabilit	Y	
Degradability:	>80 %. The product is expected to be easily biodegradable.	
Bioaccumulative potential		
Bioaccumulative potential:	No data available on bioaccumulation.	
Mobility in soil		
<u>Mobility:</u>	No data available.	
Results of PBT and vPvB assessment		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.	
Other adverse effects		
Other adverse effects:	No information available.	

Waste treatment methods	
Waste from residues:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Contaminated packaging:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Product name:	UNITCLEAN	Page:	9/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

14. TRANSPORT INFORMATION		
<u>UN number</u>		
<u>UN-No:</u>	1760	
UN proper shipping name		
Proper Shipping Name:	CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds)	
	Additional IMDG information: EmS: F-A, S-B MFAG: 1 Segregation Group: Alkali	
Transport hazard class(es)		
<u>Class:</u>	8	
Packing group		
PG:	II	
Environmental hazards		
Marine pollutant:	Yes.	
Environmentally Hazardous substance:	Yes.	
Special precautions for user		
Special precautions:	None known.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Transport in bulk:	Not relevant	

Product name:	UNITCLEAN	Page:	10/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product				
Special provisions:	This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR. DSL: All chemicals included in the product are DSL listed or exempt.			
National regulation:	 Hazardous Products Regulations, with amendments. Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments. British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015). Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016). Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13). Alberta: Occupational Health and Safety Code 2009. U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition. International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization. 			

Product name:	UNITCLEAN	Page:	11/11
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0172	SDS-ID:	CA-EN/11.0

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 8, 10, 11. The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Abbreviations and acronyms	PBT = Persiste
used in the safety data sheet:	vPvB = very P
	LD50 = Lethal

BT = Persistent, Bioaccumulative and Toxic. PvB = very Persistent and very Bioaccumulative. D50 = Lethal Dose 50%.

Additional information:

Classification according to WHMIS 2015: Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.