

Product name:	SHELL GADUS S2 V220 00	Page:	1/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

1. IDENTIFICATION	
Product identifier	
Product name:	SHELL GADUS S2 V220 00
	Cat. No. 16080803, 16080846
Recommended use and restr	ictions on use
Application:	Lubricating grease.
Uses advised against:	No specific uses advised against are identified. (*)
Details of the supplier of the s	safety data sheet
<u>Supplier:</u>	Struers Ltd 7275 West Credit Avenue Ontario L5N 5M9 Mississauga Canada Tel:+1 (905) 8148855
Responsible for safety data sheet authoring:	Responsible for safety data sheet authoring: DHI Any questions to the contents of this safety data sheet should be sent to: struers@struers.dk
Emergency telephone numbe	<u>n</u>
	Infotrac: 1-800-535-5053 Struers CAN: +1 (905) 8148855 (Only during office hours)
2. HAZARDS IDENTIFICA	TION
Classification of the hazardou	is product
WHMIS 2015:	The product is not classified.
Label elements	
	The substance/mixture does not meet the criteria for classification and labelling.
Other hazards	

 PBT/vPvB:
 No information available.

 Other:
 Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease. Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. Greases are generally hazardous to the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: Highly refined mineral oil and additives. DMSO < 3% (IP 346)

Product name:	SHELL GADUS S2 V220 00	Page:	2/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

WHMIS 2015:

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	<u>REACH Reg.</u> <u>No:</u>	Chemical name:	Hazard classification:	<u>Notes:</u>
0.1-0.9	1338-24-5	215-662-8	-	Naphthenic acids	Skin Irritation Category 2 Eye Irritation Category 2 Skin Sensitizer Category 1B	

4. FIRST-AID MEASURES

Description of first-aid measures		
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and take along these instructions.	
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.	
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.	
Ingestion:	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.	
Most important symptoms and effects, both acute and delayed		
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.	
Indication of any immediate medical attention and special treatment needed		

Medical attention/treatments: Treat symptomatically.

5. FIRE-FIGHTING MEASURESExtinguishing mediaExtinguishing media:Extinguishing media:Use fire-extinguishing media appropriate for surrounding materials.Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.Specific hazards arising from to tazardous productSpecific hazards:During fire, health hazardous gases may be formed.Advice for fire-fighters:Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

Product name:	SHELL GADUS S2 V220 00	Page:	3/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel:	Avoid inhalation of oil mist and contact with skin and eyes. In case of spills, beware of slippery floors and surfaces. For personal protection, see section 8.	
For emergency responders:	No specific recommendations. For personal protection, see section 8.	
Environmental precautions		
Environmental precautions:	Do not discharge into drains, water courses or onto the ground.	
Methods and material for cont	ainment and cleaning up	
Spill Cleanup Methods:	Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material.	
Reference to other items		
References:	For personal protection, see section 8. For waste disposal, see section 13.	

7. HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice:	Avoid inhalation of oil mist and contact with skin and eyes. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.
	Observe good chemical hygiene practices.
Technical measures:	Work practice should minimize contact.
Technical precautions:	When working with heated grease, mechanical ventilation may be required.
Conditions for safe storage, in	cluding any incompatibilities
Technical measures for safe	No special precautions.
storage:	
Storage conditions:	Store in tightly closed original container in a dry, cool and well-ventilated place.
Specific end-use(s)	
Specific use(s):	No information available.

Product name:	SHELL GADUS S2 V220 00	Page:	4/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Other provincial OEL's may apply.

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposure limits:	<u>Type:</u>	<u>Notes:</u>	References:
-	Mineral oil (mist)	-	5 mg/m3	TWA	-	Quebec
		-	10 mg/m3	STEL	15min	
-	Oil mist, mineral, severely refined	-	1 mg/m3	TWA	-	BC
-	Oil mist, mineral	-	5 mg/m3	TWA	-	Alberta
		-	10 mg/m3	STEL	15min	

Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

 Personal protection:
 Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.

<u>Respiratory equipment:</u> In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.

Risk of contact: Wear goggles/face shield.

Breakthrough time: >480 min Thickness: >0.35 mm (*)

No special precautions.

Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The

most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Hand protection:

Eye protection:

Skin protection:

Environmental Exposure Not available.

Controls:

Product name:	SHELL GADUS S2 V220 00	Page:	5/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties		
<u>Form:</u>	Grease.	
<u>Colour:</u>	Brown	
<u>Odour:</u>	Hydrocarbon.	
Odour threshold:	Not available.	
<u>pH:</u>	Not applicable.	
Melting point:	Not available.	
Boiling point:	Not available.	
Flash point:	Not applicable.	
Evaporation rate:	Not available.	
<u>Flammability (solid, gas):</u>	Not available.	
Explosion limits:	1 - 10% (V)	
Vapour pressure:	<0.5 Pa (68°F)	
Vapour density:	Not available.	
Relative density:	0.9	
<u>Solubility:</u>	insoluble in water	
Partition coefficient (n- octanol/water):	Not available.	
<u>Auto-ignition</u> temperature (°C):	>608°F	
Decomposition temperature (°C):	Not available.	
<u>Viscosity:</u>	Not available.	
Explosive properties:	Not available.	
Oxidising properties:	Not available.	
Other information		
Other data:	Volatile Organic Compound (VOC): 0 g/l	

Product name:	SHELL GADUS S2 V220 00	Page:	6/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

10. STABILITY AND REACTIVITY		
Reactivity		
Reactivity:	None known.	
Chemical stability		
<u>Stability:</u>	Stable under normal temperature conditions.	
Possibility of hazardous reacti	ons	
Hazardous Reactions:	None known.	
Conditions to avoid		
Conditions/materials to avoid:	Extremes of temperatures. Direct sunlight.	
Incompatible materials		
Incompatible materials:	Strong oxidizing substances.	
Hazardous decomposition products		
Hazardous decomposition products:	None known.	

Product name:	SHELL GADUS S2 V220 00	Page:	7/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

The harmful effects may increase in used grease.

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitization:	Based on available data the classification criteria are not met. Contains Naphthenic acids. May produce an allergic reaction.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met. IARC Cancer Review: Group 3 for Highly-refined oils. National Toxicology Program (NTP): No.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapors formed during heating of the product will irritate the respiratory system and provoke coughing.
<u>Skin contact:</u>	Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis.
Eye contact:	Direct contact may irritate.
Ingestion:	May irritate and cause malaise.
Additional information:	Handling of used oils: Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

Product name:	SHELL GADUS S2 V220 00	Page:	8/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

12. ECOLOGICAL INFORMATION		
<u>Ecotoxicity</u>		
Ecotoxicity:	Greases are generally hazardous to the environment.	
Persistence and degradability	L	
Degradability:	This product is expected to be heavily biodegradable.	
Bioaccumulative potential		
Bioaccumulative potential:	No data available on bioaccumulation.	
<u>Mobility in soil</u>		
<u>Mobility:</u>	No data available.	
Results of PBT and vPvB assessment		
<u>PBT/vPvB:</u>	No information available.	
Other adverse effects		
Other adverse effects:	None known.	
13. DISPOSAL CONSIDERATIONS		
Waste treatment methods		

Waste from residues:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Contaminated packaging:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

14. TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, TDG).

<u>UN number</u>

-
-
-
-
-
-
None known.
Annex II of MARPOL 73/78 and the IBC Code
Not known.

Product name:	SHELL GADUS S2 V220 00	Page:	9/9
Revision Date:	2020-01-27	Print date:	2020-01-27
Document No.:	M0205	SDS-ID:	CA-EN/3.0

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product		
Special provisions:	DSL: All chemicals included in the product are DSL listed or exempt.	
National regulation:	 Hazardous Products Regulations, with amendments. Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments. British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015). Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016). Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13). Alberta: Occupational Health and Safety Code 2009. U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition. International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization. 	

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 8. The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Abbreviations and acronyms PBT = Persistent, Bioaccumulative and Toxic. used in the safety data sheet: vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to WHMIS 2015: Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

> Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.