

Product name:	PRE-MOUNT	Page:	1/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

1. IDENTIFICATION	
Product identifier	
Product name:	PRE-MOUNT
	Cat. No. 40101001, 40101003, 40101005
Container size:	10 kg
Recommended use and restri	ictions on use
Application:	For embedding of materialographic specimens
Details of the supplier of the s	afety data sheet
Supplier:	Struers Ltd 7275 West Credit Avenue Ontario L5N 5M9 Mississauga Canada Tel:+1 (905) 8148855
Responsible for safety data sheet authoring:	Responsible for safety data sheet authoring: DHI Any questions to the contents of this safety data sheet should be sent to: struers@struers.dk
Emergency telephone numbe	<u>r</u>
Emergency telephone:	Infotrac: 1-800-535-5053 Struers CAN: +1 (905) 8148855 (Only during office hours)
2. HAZARDS IDENTIFICA	TION
Classification of the hazardou	s product
<u>WHMIS 2015:</u>	The product is not classified.

Label elements

The substance/mixture does not meet the criteria for classification and labelling.

Other hazards

Fine particles may form explosive vapor/air mixtures. Inhalation of dust may irritate the respiratory system. May irritate eyes and skin.

PBT/vPvB: Not relevant

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixtures</u>

The product contains: resin.

Product name:	PRE-MOUNT	Page:	2/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

WHMIS 2015:

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	<u>REACH Reg.</u> <u>No:</u>	Chemical name:	Hazard classification:	<u>Notes:</u>
5-10	100-97-0	202-905-8	-	Methenamine	Flammable Solid Category 2 Skin Sensitizer Category 1	
<1	108-95-2	203-632-7	-	Phenol	Germ Cell Mutagenicity Category 2 Acute (Inhalation) Toxicity Category 3 Acute (Dermal) Toxicity Category 3 Acute (Oral) Toxicity Category 3 Specific Target Organ Toxicity Repeated Exposure Category 2 Skin Corrosion Category 1B	

References:

The full text for all hazard statements is displayed in section 16.

4. FIRST-AID MEASURES					
Description of first-aid measures					
Inhalation:	Move into fresh air and keep at rest.				
Skin contact:	Remove contaminated clothes and rinse skin thoroughly with water.				
Eye contact:	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring these instructions.				
Ingestion:	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.				
Most important symptoms and	d effects, both acute and delayed				
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.				
Indication of any immediate m	edical attention and special treatment needed				
Medical attention/treatments:	Not known.				
5. FIRE-FIGHTING MEAS	JRES				
Extinguishing media					
Extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.				
Specific hazards arising from	the hazardous product				
Specific hazards:	The product is non-combustible. If heated, toxic vapors may be formed.				
Advice for fire-fighters					

Protective equipment for fire-
fighters:Selection of respiratory protection for fire fighting: follow the general fire
precautions indicated in the workplace.

Product name:	PRE-MOUNT	Page:	3/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protect	ive equipment and emergency procedures
Personal precautions:	Follow precautions for safe handling described in this safety data sheet. Avoid contact with skin and eyes. Avoid inhalation of dust and vapors.
Environmental precautions	
Environmental precautions:	Avoid discharge into drains, water courses or onto the ground.
Methods and material for cont	tainment and cleaning up
Spill Cleanup Methods:	Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.
Reference to other items	
References:	For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice:	Avoid inhalation of dust and contact with skin and eyes. Observe good chemical hygiene practices.
Technical measures:	Work practice should minimize contact. Use work methods which minimize dust production.
Technical precautions:	Local exhaust is recommended.
Conditions for safe storage, ir	ncluding any incompatibilities
Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. Store at room temperature.
Specific end-use(s)	
<u>Specific use(s):</u>	Not relevant

Product name:	PRE-MOUNT	Page:	4/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Other provincial OEL's may apply.

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposur	<u>e limits:</u>	<u>Type:</u>	Notes:	References:
108-95-2	Phenol	-	5 ppm	19 mg/m3	TWA	Pc	Quebec
108-95-2	Phenol	-	5 ppm	19 mg/m3	TWA	1	Alberta
108-95-2	Phenol	-	5 ppm		TWA	Skin	BC
100-97-0	Hexamethylenetetramin	-	0.35 ppm	2 mg/m3	STEL	Ont; 15min	Ontario
	e						

Exposure controls

Engineering measures:	Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation. Local exhaust is recommended.
Personal protection:	Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with combination filter, type A2/P2.
Hand protection:	Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eye protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear apron or protective clothing in case of contact.
Hygiene measures:	Wash hands after handling.
Environmental Exposure Controls:	Not available.

Product name:	PRE-MOUNT	Page:	5/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties		
<u>Form:</u>	Powder.	
<u>Colour:</u>	Black	
<u>Odour:</u>	Phenolic.	
<u>pH:</u>	Not available.	
Boiling point:	Not available.	
Flash point:	Not available.	
Explosion limits:	Not available.	
Relative density:	Not available.	
<u>Solubility:</u>	insoluble in water	
Other information		
Other data:	Volatile Organic Compound (VOC): < 10 g/l (calculated)	

Reactivity

reading		
<u>Reactivity:</u>	None known.	
Chemical stability		
Stability:	Stable under normal temperature conditions.	
Possibility of hazardous reactions		
Hazardous Reactions:	None known.	
Conditions to avoid		
Conditions/materials to avoid:	Avoid contact with acids and oxidising substances. Avoid dust close to ignition sources.	
Incompatible materials		
Incompatible materials:	None known.	
Hazardous decomposition products		
Hazardous decomposition products:	By heating and fire, toxic vapors/gases may be formed.	

Product name:	PRE-MOUNT	Page:	6/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitization:	Test has determined that the product is not sensitising by skin contact.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Dust may irritate throat and respiratory system and cause coughing. Vapors liberated during curing of the product may in high concentrations irritate the throat and respiratory system and cause coughing.
Skin contact:	Prolonged contact may cause redness and irritation. Phenol can be absorbed through the skin and cause chronic poisoning.
Eye contact:	Dust may cause irritation.
Ingestion:	No harmful effects expected in amounts likely to be ingested by accident.
Specific effects:	Contains a small amount of a substance/group of substances with possible risks of irreversible effects.
	Carcinogenicity: IARC Cancer Review: Group 3 for Phenol.

IARC Cancer Review: Group 3 for Phenol. NTP Not Listed.

Product name:	PRE-MOUNT	Page:	7/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

12. ECOLOGICAL INFORMATION		
<u>Ecotoxicity</u>		
Ecotoxicity:	The environmental hazard of the product is considered to be limited.	
Persistence and degradability		
Degradability:	There are no data on the degradability of this product.	
Bioaccumulative potential		
Bioaccumulative potential:	No data available on bioaccumulation.	
Mobility in soil		
Mobility:	No data available.	
Results of PBT and vPvB ass	essment	
<u>PBT/vPvB:</u>	Not relevant	
Other adverse effects		
Other adverse effects:	None known.	
13. DISPOSAL CONSIDER	RATIONS	
Waste treatment methods		
Waste from residues:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Note that fully cured material is not considered as hazardous waste.	
Contaminated packaging:	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.	

Product name:	PRE-MOUNT	Page:	8/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

14. TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, TDG).

<u>UN number</u>	
<u>UN-No:</u>	-
UN proper shipping name	
Proper Shipping Name:	-
Transport hazard class(es)	
<u>Class:</u>	-
Packing group	
<u>PG:</u>	-
Environmental hazards	
Marine pollutant:	-
Environmentally Hazardous substance:	-
Special precautions for user	
Special precautions:	None known.
Transport in bulk according to	Annex II of MARPOL 73/78 and the IBC Code
Transport in bulk:	Not relevant

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product

Special provisions:	DSL listed: All ingredients are listed or exempt.
National regulation:	 Hazardous Products Regulations. Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments. U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition. International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization. British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments. Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments. Quebec: Regulation respecting the quality of the work environment (R.R.Q. 1981, S-2.1, r.15), with amendments. Alberta Regulation 393/88 Occupational Health and Safety Act, Chemical
	Hazards Regulation, with amendments.

Product name:	PRE-MOUNT	Page:	9/9
Revision Date:	2016-12-28	Print date:	2016-12-28
Document No.:	M0052	SDS-ID:	CA-EN/15.1

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information:	Classification according to WHMIS 2015: On basis of test data.
<u>Wording of R-phrases/H-</u> statements:	
H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.